ELSEVIER

Neuroscience Letters 263 (1999) 220–223

Neuroscience Letters

Author Index to Volume 263

Abbruzzese, G., Assini, A., Buccolieri, A., Marchese, R., Trompetto, C., Changes of intracortical inhibition during motor imagery in human subjects, 113
Adler, T., see Dettmers, C., 41
Ahmed, A.R.H., MacGowan, S.H., Culpan, D., Jones, R.W., Wilcock, G.K., The −491A/T polymorphism of the Apolipoprotein E gene is associated with the *ApoEε4* allele and Alzheimer's Disease, 217
Aijón, J., see Velasco, A., 101
Ain, K.B., see Yatin, S.M., 17
Allodi, S., see Moritz, G.C., 89
Althausen, S., see Paschen, W., 109
Andersen, E., see Vézina, J., 65
Ansorge, S., see Bernstein, H.-G., 161
Arsaut, J., see Loiseau, H., 173
Ashmore, J.F., see Jagger, D.J., 145
Assini, A., see Abbruzzese, G., 113
Aston, C.E., see Kamboh, M.I., 129
Audano, L., see Bertolotto, A., 21
Aulick, T., see Yatin, S.M., 17

Bae, J.H., see McLarnon, J.G., 9
Baker, I., see Gong, L., 153
Bauer, R., Weiss, C., Marksteiner, J., Doblinger, A., Fischer-Colbrie, R., Laslop, A., The new chromogranin-like protein NESP55 is preferentially localized in adrenaline-synthesizing cells of the bovine and rat adrenal medulla, 13
Beauvillain, J.-C., see Dutriez-Casteloot, I., 1
Benussi, L., see Gasparini, L., 197
Bergui, M., see Bertolotto, A., 21
Bernet, F., see Dutriez-Casteloot, I., 1
Bernstein, H.-G., Ansorge, S., Riederer, P., Reiser, M., Frölich, L., Bogerts, B., Insulin-degrading enzyme in the Alzheimer's disease brain: prominent localization in neurons and senile plaques, 161
Bertolotto, A., Capobianco, M., Malucchi, S., Manzardo, E., Audano, L., Bergui, M., Bradac, G.B., Mutani, R., Transforming growth factor β1 (TGFβ1) mRNA level correlates with magnetic resonance imaging disease activity in Multiple Sclerosis patients, 21
Bianchetti, A., see Gasparini, L., 197
Binetti, G., see Gasparini, L., 197
Bodi, I., see Tajti, J., 121
Bogerts, B., see Bernstein, H-G., 161
Brückner, L., see Dettmers, C., 41
Bradac, G.B., see Bertolotto, A., 21
Brennan, J.M., see Pan, W., 69
Buccolieri, A., see Abbruzzese, G., 113
Butterfield, D.A., see Yatin, S.M., 17

Cai, F., Tomlinson, D.R., Fernyhough, P., Elevated expression of neurotrophin-3 mRNA in sensory nerve of streptozotocin-diabetic rats, 81
Caminos, E., see Velasco, A., 101
Capobianco, M., see Bertolotto, A., 21
Boldyrev, A.A., Johnson, P., Wei, Y., Tan, W., Carpenter, D.O., Carnosine and taurine protect rat cerebellar granular cells from free radical damage, 169
Carpenter, D.O., see Boldyrev, A.A., 169
Cassagne, C., see Knoll, A., 5
Chatterjee, S.S., see Hilgert, M., 193
Chattopadhyay, M., see Patro, I.K., 97
Croix, D., see Dutriez-Casteloot, I., 1
Culpan, D., see Ahmed, A.R.H., 217
Curti, D., see Gasparini, L., 197

Dean, A.F., see Rooprai, H.K., 214
Dedieu, J.-F., see Dutriez-Casteloot, I., 1
DeKosky, S.T., see Kamboh, M.I., 129
Demotes-Mainard, J., see Loiseau, H., 173
Dettmers, C., Liepert, J., Adler, T., Rzanny, R., Rijntjes, M., van Schayck, R., Kaiser, W., Brückner, L., Weiller, C., Abnormal motor cortex organization contralateral to early upper limb amputation in humans, 41
DiStefano, P.S., see Mizisin, A.P., 149
Doblinger, A., see Bauer, R., 13
Doutheil, J., see Paschen, W., 109
Dupouy, J.-P., see Dutriez-Casteloot, I., 1
Dutriez-Casteloot, I., Bernet, F., Dedieu, J.-F., Croix, D., Laborie, C., Montel, V., Lesage, J., Beauvillain, J.-C., Dupouy, J.-P., Hypothalamic-pituitary-adrenocortical and gonadal axes and sympathoadrenal activity of adult male rats prenatally exposed to morphine, 1

Edvinsson, L., see Tajti, J., 121
El-Bachá, R.S., Netter, P., Minn, A., Mechanisms of apomorphine cytoxicity towards rat glioma C6 cells: protection by bovine serum albumin and formation of apomorphine-protein conjugates, 25
Escribá, P.V., see Ozaita, A., 105

Feeney, C.J., see Silva, G.A., 117
Fernández, G., see Tendolkar, I., 45
Fernyhough, P., see Cai, F., 81
Ferrell, R.E., see Kamboh, M.I., 129
Ferszt, R., see Tendolkar, I., 45
Fischer, H.S., Saria, A., Voltage-gated margatoxin-sensitive potassium channels but not calcium-gated iberiotoxin-sensitive potassium channels modulate acetylcholine release in rat striatal slices, 208
Fischer-Colbrie, R., see Bauer, R., 13
Fiskerstrand, C.E., Lovejoy, E., Gerrard, L., Quinn, J.P., An intronic domain within the rat preprotachykinin-A gene containing a CCCT repetitive motif acts as an enhancer in differentiating embryonic stem cells, 141
Frölich, L., see Bernstein, H.-G., 161
Fukushima, T., see Hamada, T., 125

Gamundi, A., see Pereda, E., 37

PII: S0304-3940(99)00230-X

ELSEVIER

Neuroscience Letters 263 (1999) 220–223

Neuroscience Letters

Author Index to Volume 263

Abbruzzese, G., Assini, A., Buccolieri, A., Marchese, R., Trompetto, C., Changes of intracortical inhibition during motor imagery in human subjects, 113
Adler, T., see Dettmers, C., 41
Ahmed, A.R.H., MacGowan, S.H., Culpan, D., Jones, R.W., Wilcock, G.K., The −491A/T polymorphism of the Apolipoprotein E gene is associated with the *ApoEε4* allele and Alzheimer's Disease, 217
Aijón, J., see Velasco, A., 101
Ain, K.B., see Yatin, S.M., 17
Allodi, S., see Moritz, G.C., 89
Althausen, S., see Paschen, W., 109
Andersen, E., see Vézina, J., 65
Ansorge, S., see Bernstein, H.-G., 161
Arsaut, J., see Loiseau, H., 173
Ashmore, J.F., see Jagger, D.J., 145
Assini, A., see Abbruzzese, G., 113
Aston, C.E., see Kamboh, M.I., 129
Audano, L., see Bertolotto, A., 21
Aulick, T., see Yatin, S.M., 17

Bae, J.H., see McLarnon, J.G., 9
Baker, I., see Gong, L., 153
Bauer, R., Weiss, C., Marksteiner, J., Doblinger, A., Fischer-Colbrie, R., Laslop, A., The new chromogranin-like protein NESP55 is preferentially localized in adrenaline-synthesizing cells of the bovine and rat adrenal medulla, 13
Beauvillain, J.-C., see Dutriez-Casteloot, I., 1
Benussi, L., see Gasparini, L., 197
Bergui, M., see Bertolotto, A., 21
Bernet, F., see Dutriez-Casteloot, I., 1
Bernstein, H.-G., Ansorge, S., Riederer, P., Reiser, M., Frölich, L., Bogerts, B., Insulin-degrading enzyme in the Alzheimer's disease brain: prominent localization in neurons and senile plaques, 161
Bertolotto, A., Capobianco, M., Malucchi, S., Manzardo, E., Audano, L., Bergui, M., Bradac, G.B., Mutani, R., Transforming growth factor β1 (TGFβ1) mRNA level correlates with magnetic resonance imaging disease activity in Multiple Sclerosis patients, 21
Bianchetti, A., see Gasparini, L., 197
Binetti, G., see Gasparini, L., 197
Bodi, I., see Tajti, J., 121
Bogerts, B., see Bernstein, H-G., 161
Brückner, L., see Dettmers, C., 41
Bradac, G.B., see Bertolotto, A., 21
Brennan, J.M., see Pan, W., 69
Buccolieri, A., see Abbruzzese, G., 113
Butterfield, D.A., see Yatin, S.M., 17

Cai, F., Tomlinson, D.R., Fernyhough, P., Elevated expression of neurotrophin-3 mRNA in sensory nerve of streptozotocin-diabetic rats, 81
Caminos, E., see Velasco, A., 101
Capobianco, M., see Bertolotto, A., 21
Boldyrev, A.A., Johnson, P., Wei, Y., Tan, W., Carpenter, D.O., Carnosine and taurine protect rat cerebellar granular cells from free radical damage, 169
Carpenter, D.O., see Boldyrev, A.A., 169
Cassagne, C., see Knoll, A., 5
Chatterjee, S.S., see Hilgert, M., 193
Chattopadhyay, M., see Patro, I.K., 97
Croix, D., see Dutriez-Casteloot, I., 1
Culpan, D., see Ahmed, A.R.H., 217
Curti, D., see Gasparini, L., 197

Dean, A.F., see Rooprai, H.K., 214
Dedieu, J.-F., see Dutriez-Casteloot, I., 1
DeKosky, S.T., see Kamboh, M.I., 129
Demotes-Mainard, J., see Loiseau, H., 173
Dettmers, C., Liepert, J., Adler, T., Rzanny, R., Rijntjes, M., van Schayck, R., Kaiser, W., Brückner, L., Weiller, C., Abnormal motor cortex organization contralateral to early upper limb amputation in humans, 41
DiStefano, P.S., see Mizisin, A.P., 149
Doblinger, A., see Bauer, R., 13
Doutheil, J., see Paschen, W., 109
Dupouy, J.-P., see Dutriez-Casteloot, I., 1
Dutriez-Casteloot, I., Bernet, F., Dedieu, J.-F., Croix, D., Laborie, C., Montel, V., Lesage, J., Beauvillain, J.-C., Dupouy, J.-P., Hypothalamic-pituitary-adrenocortical and gonadal axes and sympathoadrenal activity of adult male rats prenatally exposed to morphine, 1

Edvinsson, L., see Tajti, J., 121
El-Bachá, R.S., Netter, P., Minn, A., Mechanisms of apomorphine cytoxicity towards rat glioma C6 cells: protection by bovine serum albumin and formation of apomorphine-protein conjugates, 25
Escribá, P.V., see Ozaita, A., 105

Feeney, C.J., see Silva, G.A., 117
Fernández, G., see Tendolkar, I., 45
Fernyhough, P., see Cai, F., 81
Ferrell, R.E., see Kamboh, M.I., 129
Ferszt, R., see Tendolkar, I., 45
Fischer, H.S., Saria, A., Voltage-gated margatoxin-sensitive potassium channels but not calcium-gated iberiotoxin-sensitive potassium channels modulate acetylcholine release in rat striatal slices, 208
Fischer-Colbrie, R., see Bauer, R., 13
Fiskerstrand, C.E., Lovejoy, E., Gerrard, L., Quinn, J.P., An intronic domain within the rat preprotachykinin-A gene containing a CCCT repetitive motif acts as an enhancer in differentiating embryonic stem cells, 141
Frölich, L., see Bernstein, H.-G., 161
Fukushima, T., see Hamada, T., 125

Gamundi, A., see Pereda, E., 37

PII: S0304-3940(99)00230-X

Garbay, B., see Knoll, A., 5
García-Sevilla, J.A., see Ozaita, A., 105
Garrett, D.N., see Mizisin, A.P., 149
Gasparini, L., Benussi, L., Bianchetti, A., Binetti, G., Curti, D., Govoni, S., Moraschi, S., Racchi, M., Trabucchi, M., Energy metabolism inhibition impairs amyloid precursor protein secretion from Alzheimer's fibroblasts, 197
Gerrard, L., see Fiskerstrand, C.E., 141
Glover, G.H., see Nakai, T., 33
Golz, G., see Tendolkar, I., 45
Gong, L., Wyatt, R.J., Baker, I., Masserano, J.M., Brain-derived and glial cell line-derived neurotrophic factors protect a catecholaminergic cell line from dopamine-induced cell death, 153
González, J., see Pereda, E., 37
Govoni, S., see Gasparini, L., 197
Grover, L.M., Yan, C., The modulation of excitatory synaptic transmission by adenosine in area CA1 of the rat hippocampus is temperature dependent, 77
Guilleminault, C., see Monstad, P., 211

Hamada, T., Liou, S.-Y., Fukushima, T., Maruyama, T., Watanabe, S., Mikoshiba, K., Ishida, N., The role of inositol trisphosphate-induced Ca^{2+} release from IP_3-receptor in the rat suprachiasmatic nucleus on circadian entrainment mechanism, 125
Hardy, J., see Kamboh, M.I., 129
Heaton, M.B., see Mitchell, J.J., 189
Heck, D., Sequential stimulation of rat and guinea pig cerebellar granular cells in vitro leads to increasing population activity in parallel fibers, 137
Heinze, H.-J., see Tendolkar, I., 45
Hilgert, M., Nöldner, M., Chatterjee, S.S., Klein, J., KA-672 inhibits rat brain acetylcholinesterase in vitro but not in vivo, 193
Hipp, S.J., see Raffa, R.B., 29
Hoffmann, O., see Plesan, A., 53
Horie, H., see Sango, K., 157
Horowitz, J.M., see Torres, G., 201
Huang, W., Simpson Jr., R.K., Antisense of c-fos gene attenuates Fos expression in the spinal cord induced by unilateral constriction of the sciatic nerve in the rat, 61

Inoue, S., see Sango, K., 157
Inui, T., see Nakai, T., 33
Ishida, N., see Hamada, T., 125

Januszewski, S., see Orzyłowska, O., 72
Jimeno, D., see Velasco, A., 101
Johnson, P., see Boldyrev, A.A., 169
Jones, R.W., see Ahmed, A.R.H., 217

Kühl, K.-P., see Tendolkar, I., 45
Kaba, H., see Usui, M., 185
Kaiser, W., see Dettmers, C., 41
Kamboh, M.I., Aston, C.E., Perez-Tur, J., Kokmen, E., Ferrell, R.E., Hardy, J., DeKosky, S.T., A novel mutation in the apolipoprotein E gene (*APOE*4 Pittsburgh*) is associated with the risk of late-onset Alzheimer's disease, 129
Kammer, T., Lehr, L., Kirschfeld, K., Cortical visual processing is temporally dispersed by luminance in human subjects, 133
Kandanearatchi, A., see Rooprai, H.K., 214
Kastin, A.J., see Pan, W., 69
Kato, C., see Nakai, T., 33
Kawasaki, Y., see Usui, M., 185
Kim, S.U., see McLarnon, J.G., 9
Kirschfeld, K., see Kammer, T., 133
Klein, J., see Hilgert, M., 193
Knoll, A., Sargueil, F., Salles, J., Garbay, B., Lucet-Levannier, K., Cassagne, C., Hydroxyacyl-CoA dehydrase and *trans*-2,3-*enoyl*-CoA reductase activities are consistent with long-chain fatty acid accumulation during rat brain development, 5
Kodama, K., see Kumakiri, C., 205
Kokmen, E., see Kamboh, M.I., 129
Kumakiri, C., Kodama, K., Shimizu, E., Yamanouchi, N., Okada, S.-i., Noda, S., Okamoto, H., Sato, T., Shirasawa, H., Study of the association between the serotonin transporter gene regulatory region polymorphism and personality traits in a Japanese population, 205

Laborie, C., see Dutriez-Casteloot, I., 1
Lanthorn, T.H., see Li, C., 57
Lara, J.M., see Velasco, A., 101
Laslop, A., see Bauer, R., 13
Lehr, L., see Kammer, T., 133
Lesage, J., see Dutriez-Casteloot, I., 1
Li, C., Peoples, R.W., Lanthorn, T.H., Li, Z.-W., Weight, F.F., Distinct ATP-activated currents in different types of neurons dissociated from rat dorsal root ganglion, 57
Li, Z.-W., see Li, C., 57
Liepert, J., see Dettmers, C., 41
Lillo, C., see Velasco, A., 101
Liou, S.-Y., see Hamada, T., 125
Liu, X., see Mizisin, A.P., 149
Liyanage, K., see Rooprai, H.K., 214
Loiseau, H., Arsaut, J., Demotes-Mainard, J., *p73* gene transcripts in human brain tumors: overexpression and altered splicing in ependymomas, 173
Lovejoy, E., see Fiskerstrand, C.E., 141
Lucet-Levannier, K., see Knoll, A., 5

Möller, S., see Tajti, J., 121
Müller, K., see Vézina, J., 65
MacGowan, S.H., see Ahmed, A.R.H., 217
Malucchi, S., see Bertolotto, A., 21
Maness, L.M., see Pan, W., 69
Manuel Cornes, J., see Sierra-Paredes, G., 165
Manzardo, E., see Bertolotto, A., 21
Marchese, R., see Abbruzzese, G., 113
Marksteiner, J., see Bauer, R., 13
Maruyama, T., see Hamada, T., 125
Masserano, J.M., see Gong, L., 153
Matsuo, K., see Nakai, T., 33
Matsuzawa, M., see Nakai, T., 33
McLarnon, J.G., Wang, X., Bae, J.H., Kim, S.U., Endothelin-induced changes in intracellular calcium in human microglia, 9
Mendez-Otero, R., see Moritz, G.C., 89
Mikoshiba, K., see Hamada, T., 125
Mills, L.R., see Silva, G.A., 117
Minn, A., see El-Bachá, R.S., 25
Mitchell, J.J., Paiva, M., Heaton, M.B., Vitamin E and β-carotene protect against ethanol combined with ischemia in an embryonic rat hippocampal culture model of fetal alcohol syndrome, 189

Mizisin, A.P., DiStefano, P.S., Liu, X., Garrett, D.N., Tonra, J.R., Decreased accumulation of endogenous brain-derived neurotrophic factor against constricting sciatic nerve ligatures in streptozotocin-diabetic and galactose-fed rats, 149
Monstad, P., Guilleminault, C., Cardiovascular changes associated with spontaneous and evoked K-complexes, 211
Montel, V., see Dutriez-Casteloot, I., 1
Moraschi, S., see Gasparini, L., 197
Moritz, G.C., Tenorio, F., Allodi, S., Mendez-Otero, R., Expression of nitric oxide synthase in the developing rat hippocampus, 89
Moriya, T., see Nakai, T., 33
Mossakowski, M., see Orzyłowska, O., 72
Mutani, R., see Bertolotto, A., 21
Nöldner, M., see Hilgert, M., 193

Nakai, T., Matsuo, K., Kato, C., Matsuzawa, M., Okada, T., Glover, G.H., Moriya, T., Inui, T., A functional magnetic resonance imaging study of listening comprehension of languages in human at 3 tesla-comprehension level and activation of the language areas, 33
Netter, P., see El-Bachá, R.S., 25
Nicolau, M.C., see Pereda, E., 37
Noda, S., see Kumakiri, C., 205

Oderfeld-Nowak, B., see Orzyłowska, O., 72
Okada, S.-i., see Kumakiri, C., 205
Okada, T., see Nakai, T., 33
Okamoto, H., see Kumakiri, C., 205
Orkand, R.K., see Vlachová, V., 49
Orzyłowska, O., Oderfeld-Nowak, B., Zaremba, M., Januszewski, S., Mossakowski, M., Prolonged and concomitant induction of astroglial immunoreactivity of interleukin-1beta and interleukin-6 in the rat hippocampus after transient global ischemia, 72
Ozaita, A., Escribá, P.V., García-Sevilla, J.A., The alkylating agent EEDQ facilitates protease-mediated degradation of the human brain α_{2A}-adrenoceptor as revealed by a sequence-specific antibody, 105

Paiva, M., see Mitchell, J.J., 189
Pan, W., Kastin, A.J., Maness, L.M., Brennan, J.M., Saturable entry of ciliary neurotrophic factor into brain, 69
Paschen, W., Althausen, S., Doutheil, J., Ischemia-induced changes in 2′-5′-oligoadenylate synthethase mRNA levels in rat brain: comparison with changes produced by perturbations of endoplasmic reticulum calcium homeostasis in neuronal cell cultures, 109
Patro, I.K., Chattopadhyay, M., Patro, N., Flunarizine enhances functional recovery following sciatic nerve crush lesion in rats, 97
Patro, N., see Patro, I.K., 97
Pennefather, P.S., see Silva, G.A., 117
Peoples, R.W., see Li, C., 57
Pereda, E., Gamundi, A., Nicolau, M.C., Rial, R., González, J., Interhemispheric differences in awake and sleep human EEG: a comparison between non-linear and spectral measures, 37
Perez-Tur, J., see Kamboh, M.I., 129
Pilkington, G.J., see Rooprai, H.K., 214
Plesan, A., Hoffmann, O., Xu, X.-J., Wiesenfeld-Hallin, Z., Genetic differences in the antinociceptive effect of morphine and its potentiation by dextromethorphan in rats, 53

Quinn, J.P., see Fiskerstrand, C.E., 141

Racchi, M., see Gasparini, L., 197
Raffa, R.B., Stone Jr., D.J., Hipp, S.J., Differential cholera-toxin sensitivity of supraspinal antinociception induced by the cannabinoid agonists Δ^9-THC, WIN 55,212-2 and anandamide in mice, 29
Reiser, M., see Bernstein, H.-G., 161
Rial, R., see Pereda, E., 37
Riederer, P., see Bernstein, H.-G., 161
Rijntjes, M., see Dettmers, C., 41
Robinson, S.F.D., see Rooprai, H.K., 214
Rooprai, H.K., Liyanage, K., Robinson, S.F.D., Kandanearatchi, A., Dean, A.F., Pilkington, G.J., Extracellular matrix-modulated differential invasion of human meningioma cell lines in vitro, 214
Rzanny, R., see Dettmers, C., 41

Salles, J., see Knoll, A., 5
Sango, K., Horie, H., Inoue, S., Administration of an aldose reductase inhibitor ONO-2235 to streptozotocin-diabetic mice restores reductions of DRG neuronal attachment to extracellular matrix proteins in vitro, 157
Sargueil, F., see Knoll, A., 5
Saria, A., see Fischer, H.S., 208
Sato, T., see Kumakiri, C., 205
Schoenfeld, A., see Tendolkar, I., 45
Sha, L., Szurszewski, J.H., Leptin modulates fast synaptic transmission in dog pancreatic ganglia, 93
Shaw, F.-Z., see Tsai, M.L., 85
Shimizu, E., see Kumakiri, C., 205
Shirasawa, H., see Kumakiri, C., 205
Sierra-Marcuño, G., see Sierra-Paredes, G., 165
Sierra-Paredes, G., Manuel Cornes, J., Sierra-Marcuño, G., Calpain inhibitor I retards seizure offset in the hippocampus of freely moving rats, 165
Silva, G.A., Theriault, E., Mills, L.R., Pennefather, P.S., Feeney, C.J., Group I and II metabotropic glutamate receptor expression in cultured rat spinal cord astrocytes, 117
Simpson Jr., R.K., see Huang, W., 61
Stone Jr., D.J., see Raffa, R.B., 29
Szurszewski, J.H., see Sha, L., 93

Tajti, J., Möller, S., Uddman, R., Bodi, I., Edvinsson, L., The human superior cervical ganglion: neuropeptides and peptide receptors, 121
Tan, Y., see Boldyrev, A.A., 169
Tendolkar, I., Schoenfeld, A., Golz, G., Fernández, G., Kühl, K.-P., Ferszt, R., Heinze, H.-J., Neural correlates of recognition memory with and without recollection in patients with Alzheimer's disease and healthy controls, 45
Tenorio, F., see Moritz, G.C., 89
The fast activating potassium current $I_{K,f}$ in guinea-pig inner hair cells is regulated by protein kinase A, 145
Theriault, E., see Silva, G.A., 117
Tomberg, C., Focal enhancement of chaotic strange attractor dimension in the left semantic (Wernicke) human cortex during reading without concomitant change in vigilance level, 177
Tomberg, C., Unconscious attention manifested in non-averaged human brain potentials by optional short-latency cognitive electrogeneses without subsequent P300, 181
Tomlinson, D.R., see Cai, F., 81
Tonra, J.R., see Mizisin, A.P., 149
Torres, G., Horowitz, J.M., Cocaethylene synthesis in *Drosophila*, 201
Trabucchi, M., see Gasparini, L., 197

Trompetto, C., see Abbruzzese, G., 113
Tsai, M.L., Shaw, F.-Z., Yen, C.-T., Quantitative relationship between fluctuations of blood pressure and sympathetic nerve activity in pentobarbital anesthetized rats, 85
Tschopp, C., see Vézina, J., 65

Uddman, R., see Tajti, J., 121
Usui, M., Kawasaki, Y., Kaba, H., Neurosteroid modulation of dendrodendritic inhibition in the mouse olfactory bulb, 185
Vézina, J., Tschopp, C., Andersen, E., Müller, K., Overexpression of a C-terminal fragment of Presenilin 1 delays anti-Fas induced apoptosis in Jurkat cells, 65

van Schayck, R., see Dettmers, C., 41
Velasco, A., Jimeno, D., Lillo, C., Caminos, E., Lara, J.M., Aijón, J., Enzyme histochemical identification of microglial cells in the retina of a fish (*Tinca tinca*), 101
Vitásková, Z., see Vlachová, V., 49
Vlachová, V., Vitásková, Z., Vyklický, L., Orkand, R.K., Procaine excites nociceptors in cultures from dorsal root ganglion of the rat, 49
Vyklický, L., see Vlachová, V., 49

Wang, X., see McLarnon, J.G., 9
Watanabe, S., see Hamada, T., 125
Wei, Y., see Boldyrev, A.A., 169
Weight, F.F., see Li, C., 57
Weiller, C., see Dettmers, C., 41
Weiss, C. see Bauer, R., 13
Wiesenfeld-Hallin, Z., see Plesan, A., 53
Wilcock, G.K., see Ahmed, A.R.H., 217

Xu, X.-J., see Plesan, A., 53

Yamanouchi, N., see Kumakiri, C., 205
Yan, C., see Grover, L.M., 77
Yatin, M., see Yatin, S.M., 17
Yatin, S.M., Yatin, M., Aulick, T., Ain, K.B., Butterfield, D.A., Alzheimer's amyloid β-peptide associated free radicals increase rat embryonic neuronal polyamine uptake and ornithine decarboxylase activity: protective effect of vitamin E, 17
Yen, C.-T., see Tsai, M.L., 85

Zaremba, M., see Orzyłowska, O., 72